

# INDEX MAPS.

## T. 5 N. R. 9 E. 2<sup>nd</sup> Mer.

	7 <sup>9</sup>	7 <sup>8</sup>	6 <sup>8</sup>	6 <sup>8</sup>	6 <sup>7</sup>	6 <sup>7</sup>						
11	6	34	5	28	4	27	3	20	2	16	1	5
	33	33	27	23	19	15						
11	7	33	8	27	9	23	10	19	11	15	12	5
	32	32	26	22	18	15						
10	18	32	17	26	16	22	15	18	14	14	13	4
	31	31	26	22	18	14						
10	19	31	20	25	21	22	22	17	23	14	24	4
	30	30	25	21	17	13						
9	30	29	29	25	28	21	27	17	26	13	25	4
	29	29	24	20	16	12						
9	31	28	32	24	33	20	34	16	35	12	36	3
	2	1	1	1	1	1						
		2	2	3	3	3						

## T. 6 N. R. 9 E. 2<sup>nd</sup> Mer.

	41 <sup>42</sup>	41 <sup>42</sup>	41 <sup>42</sup>	41 <sup>42</sup>	40 <sup>42</sup>	40 <sup>42</sup>						
45	6	67	5	62	4	58	3	54	2	50	1	40
	67	67	61	57	53	49						
45	7	66	8	61	9	57	10	53	11	49	12	39
	66	65	61	57	53	49						
44	18	65	17	60	16	56	15	52	14	48	13	39
	65	64	60	56	52	48						
44	19	64	20	60	21	55	22	51	23	47	24	39
	64	63	59	55	51	47						
43	30	63	29	58	28	55	27	51	26	47	25	38
	63	62	59	54	50	46						
43	31	62	32	58	33	54	34	50	35	46	36	38
	36	35	35	35	35	35						
	37	37	37	37	36	36						

The figures on the lines refer to the page.

1

Township N. 5 North, Range N. 9 East 2. Mer. Indiana  
ch. lks.

### South Boundary

West On Rand<sup>m</sup>. S. boundary of Sec. 36  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
46.00 a Brook 5 lks. wide Course S.  
57.00 a Creek 40 lks. wide C.P. N.W. kept down it.  
61.00 a Brook — " " " S.W.  
71.00 a do. — " " " N.W.  
80.00 Let temp<sup>y</sup>. Cor. to Sec. 35 & 36  
Level & Beech land

---

West On Rand<sup>m</sup>. S. boundary of Sec. 35  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
80.00 Let temp<sup>y</sup>. Cor. to Sec. 34 & 35  
generally good land, timber Oak, Ash &c.

---

West On Rand<sup>m</sup>. S. boundary of Sec. 34  
7.00 a Creek 50 lks. wide Course S.W.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
42.00 a Brook 3 lks. wide Course S.  
63.00 a do. 3 " " " S.W.  
75.00 a do. 3 " " " S.  
80.00 Let temp<sup>y</sup>. Cor. to Sec. 33 & 34  
Land level & rich, timber Sugar, ash, Beech  
Poplar &c.

---

West On Rand<sup>m</sup>. S. boundary of Sec. 33  
14.00 a Brook 3 lks. wide Course S.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
54.00 a Creek 100 lks. wide Course S.E.  
80.00 Let temp<sup>y</sup>. Cor. to Sec. 33 & 32  
Generally rich land, timbered with Sugar,  
Beech, Poplar &c.

---

West On Rand<sup>m</sup>. S. boundary of Sec. 32  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
68.00 a Brook 4 lks. wide Course N.W.

2

S. N. R. G. 2<sup>d</sup>. Mer. Indiana

ch. 1<sup>st</sup> 1<sup>st</sup>

80.00 Let temp<sup>y</sup>. Cor. to Sec. 31 & 32  
Level Beech land

West On Rand<sup>m</sup>. S. boundary of Sec. 31

10.00 a Brook 10<sup>th</sup>. wide Corner S. W.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.50 Intersected the N & S. line 230<sup>th</sup>. S. of the Cor.  
to Township 4 & 5 North, Range 8 & 9 East  
Level Beech land.

True Line.

September 10<sup>th</sup> 1876. var. 5.50' E

East On S. boundary of Sec. 31

\* 39.75 Let q<sup>r</sup>. Sec. post, from which  
a Hickory 12<sup>th</sup>. in. dist. bear West 2<sup>th</sup>. dist. of  
a do. 12 " " " N 66 E 32 " "

\* This q<sup>r</sup>. Sec. post should be established at 40.00  
from the Cor. to Sec. 31 & 32 agreeably to law. (S. M.)

79.50 Let post Cor. to Sec. 31 & 32, from which  
a Beech 18<sup>th</sup>. in. dist. bear N 63 E 27<sup>th</sup>. dist. of  
a do. 6 " " " S 19 W 16 " "

East On S. boundary of Sec. 32

40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 12<sup>th</sup>. in. dist. bear N 56 E 14<sup>th</sup>. dist. of  
a do. 18 " " " S 56 W 28 " "

80.00 Let post Cor. to Sec. 32 & 33, from which  
a Beech 10<sup>th</sup>. in. dist. bear N 30 E 15<sup>th</sup>. dist. of  
a do. 10 " " " S 27 W 22 " "

East On S. boundary of Sec. 33

40.00 Let q<sup>r</sup>. Sec. post from which  
a Sugar 12<sup>th</sup>. in. dist. bear N 30 E 35<sup>th</sup>. dist. of  
a Poplar 24 " " " S 20 W 54 " "

80.00 Let post Cor. to Sec. 33 & 34, from which  
a Beech 12<sup>th</sup>. in. dist. bear N 45 E 3<sup>th</sup>. dist. of

3

5 N 129 E. 2<sup>d</sup> Mer. Indiana  
ch. 6<sup>th</sup> a Beech 24 in. dia. bear S 45 W 38 lks. dist. of

---

East On S. boundary of Sec. 34  
40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 30 in. dia. bear S 38 W 12 lks. dist. of  
a Do. 24 " " " N 50 W 40 " "  
80.00 Let post Cor. to Sec. 34 of 35, from which  
a Beech 12 in. dia. bear N 37 E 4 lks. dist. of  
a Walnut 24 " " " S 26 W 28 " "

---

East On S. boundary of Sec. 35  
40.00 Let q<sup>r</sup>. Sec. post, from which  
a Oak 24 in. dia. bear N 75 E 5 lks. dist. of  
a Beech 12 " " " S 3 E 11 " "  
80.00 Let post Cor. to Sec. 35 of 36, from which  
a Beech 18 in. dia. bear N 39 E 5 lks. dist. of  
a Sugar 24 " " " N 71 W 19 " "

---

East On S. boundary of Sec. 36  
40.00 Let q<sup>r</sup>. Sec. post, from which a  
Gum 14 in. dia. bear N 43 E 20 lks. dist. of  
a Beech 24 " " " South 24 " "  
80.00 to the Township Corner  
Alexander Holmes, L. S.

---

East Boundary var. 5° 30' E

North On E. boundary of Sec. 36  
16.08 a Brook 12 in. wide Course S. W.  
32.15 a Hickory 20 in. dia.  
40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 6 in. dia. bear N 50 E 4 lks. dist. of  
a Do. 6 " " " S 58 W 11 " "  
54.93 a B. Gum 24 " "  
54.70 a Beech 26 " "  
80.00 Let post Cor. to Sec. 25 of 36, from which  
a Beech 6 in. dia. bear N 66 E 16 lks. dist. of



4

S 5 N - N 9 E. 2<sup>nd</sup> Mer. Indiana  
ch. lth

at Beech 5 in. diam. bray N 89 W 13 lth. dist. of  
Land flat, timber Beech, Oak, Gum &c.

North On E. boundary of Sec. 25

15.00 a Brook 15 lth. wide Course N. W.

23.45 a Beech 12 in. diam.

33.30 a Brook 5 lth. wide Course W.

40.00 Set of Sec. post, from which  
a Gum 14 in. diam. bray N 58 E 25 lth. dist. of  
a Beech 2 " " " N 81 W 12 " "

42.17 Hickory 11 " "

53.68 a Do. 24 " "

63.30 a Creek 40 lth. wide runs west

78.17 a Beech 15 in. diam.

80.00 Set post cor. to Sec. 24 & 25, from which  
an Ash 13 in. diam. bray N 24 W 11 lth. dist. of  
a Beech 16 " " " N 85 E 26 " "  
Land level timber Beech, Oak, Hickory Ash &c.

North On E. boundary of Sec. 24

17.43 a Beech 12 in. diam.

21.85 a Brook 5 lth. wide Course W.

27.54 a Poplar 36 in. diam.

40.00 Set of Sec. post, from which  
a Beech 16 in. diam. bray S 7 W 14 lth. dist. of  
a Do. 11 " " " N 51 E 12 " "

42.70 an Ash 22 " "

44.50 a Brook 10 lth. wide Course S 10 W

64.10 a Beech 14 in. diam.

80.00 Set post cor. to Sec. 13 & 24, from which  
a Gum 8 in. diam. bray N 10 W 10 lth. dist. of  
a W. Oak 6 " " " S 7 W 19 " "  
Land level, timber Beech, Oak, Ash, Poplar &c.

North On E. boundary of Sec. 13

4.45 a W. Oak 22 in. diam.

# 5

## T5 N R9 E. 2<sup>d</sup> Mer. Indiana

ch. 1<sup>st</sup> 1/4

- 18.04 a Brook 4<sup>th</sup>. wide Course S. W.  
 19.85 a W. Oak 18 in. dia.  
 40.00 Let of Sec. post, from which  
     a Beech 22 in. dia. bray N 75 E 21<sup>th</sup>. dist. of  
     a do. 12 " " " S 8 W 8 " "  
 51.74 a Beech 20 " "  
 73.58 a Blk. Gum 24 in. dia.  
 80.00 Let post Cor. to Sec. 12 of 13, from which  
     a Beech 12 in. dia. bray N 10 E 15<sup>th</sup>. dist. of  
     a do. 13 " " " S 23 E 14 "  
 Land flat, timber Beech, Oak, Poplar &c.

North On E. boundary of Sec. 12

- 4.61 a Beech 15 in. dia.  
 12.72 a W. Oak 44 " "  
 26.70 a Beech 22 " "  
 40.00 Let of Sec. post, from which  
     a Beech 18 in. dia. bray N 28 W 25<sup>th</sup>. dist. of  
     a do. 9 " " " S 85 E 23 " "  
 40.70 a Creek 40<sup>th</sup>. wide Course W. a quarry of Stone or Marble  
 46.66 a Beech 22 in. dia.  
 47.79 a do. 24 " "  
 63.52 a do. 20 " "  
 75.60 a Brook 4<sup>th</sup>. wide Course W.  
 80.00 Let post Cor. to Sec. 11 of 12, from which  
     a Beech 22 in. dia. bray N 79 E 22<sup>th</sup>. dist. of  
     a do. 19 " " " S 9 W 21 " "  
 Land level, timber Beech, Ash, Poplar, Hickory, Oak &c.

North On E. boundary of Sec. 1

- 4.00 a Brook 30<sup>th</sup>. wide Course S. W.  
 16.15 a do. 3 " " " S. E.  
 16.77 a Beech 20 in. dia.  
 22.72 an Ash 14 " "  
 31.68 a W. Oak 24 " "  
 40.00 Let of Sec. post, from which

6.

Ch. 47

North Pomfret. Nov. 4<sup>th</sup> 1876

West On Rand<sup>m</sup> S. boundary of Sec. 35, T<sup>6</sup>N. R<sup>9</sup>E

Nest On Run<sup>g</sup>m. S. boundary of Sec. 34, T6N. R9E.

West On Rand<sup>m</sup>, S. boundary of Sec. 33, T<sup>6</sup>N, R<sup>9</sup>E



# 7

## T5 N R9 E. 2<sup>d</sup>. Mer. Indiana

Ch. Lk.  
 40.00 Let temp. q<sup>r</sup>. Sec. post  
 44.25 a Beech 8 lks. wide Cr. S.W.  
 78.00 a Do 10 " " " S.  
 80.00 Let temp. Cor. to Sec. 32 of 33  
 Land timber &c. same as on the last mile

---

West On Rand. S. boundary of Sec. 32, T6 N. R9 E.  
 40.00 Let temp. q<sup>r</sup>. Sec. post  
 80.00 Let temp. Cor. to Sec. 31 & 32  
 Land level, timber Beech, Oak, Ash, Poplar, Gum &c.

---

West On S. boundary of Sec. 31, T6 N. R9 E. Random  
 2.50 a Brook 8 lks. wide Cr. N.W.  
 8.20 a Do. 4 " " " N.E.  
 40.00 Let temp. q<sup>r</sup>. Sec. post  
 53.50 a Brook 4 lks. wide Cr. S.  
 68.62 full 436 lks. North of where the line run by Mr.  
 Lissou intersects an E & W. line run by Mr. Holmes  
 Land gently ascending & descending, timber  
 Beech, Oak, Sugar, Poplar &c. Nov. 5<sup>th</sup> 1886

---

True Line.

West On S. boundary of Sec. 36, T6 N. R9 E.  
 3.95 a Beech 38 in. dia.  
 35.80 an Ash 12 " "  
 40.00 Let q<sup>r</sup>. Sec. post, from which  
 a Beech 10 in. dia. Cray 170 E 10 lks. dist. of  
 an Ash 5 " " " 1889 19 " "  
 44.23 an Ash 22 " "  
 64.96 a Beech 12 " "  
 68.40 a Beech 18 " "  
 74.95 a Sweet Gum 27 " "  
 80.00 Let post Cor. to Sec. 35 of 36, T6 N. R9 E. from which  
 a Beech 11 in. dia. Cray N 27 W 8 lks. dist. of  
 a Do. 34 " " " 1169 14 " "

---

West On S. boundary of Sec. 35, T6 N. R9 E.



T5N R9E, 2<sup>d</sup> Mer. Indiana

ch. lks.

- 16.60 a Beech 20 in. dia.  
 27.14 a W. Oak 48 " "  
 34.43 a Beech 20 " "  
 40.00 Set of Sec. post, from which  
     a Beech 13 in. dia. bray N 50 W 11 lks. dist. of  
     a Do. 6 " " " S 17 W 5 " "  
 62.00 a Beech 15 " "  
 68.68 a Poplar 56 " "  
 80.00 Set post Cor. to Sec. 34, T6N, R9E, from which  
     a Beech 15 in. dia. bray N 24 E 7 lks. dist. of  
     a Do. 7 " " " S 25 E 7 " "
- 

West On S. boundary of Sec. 34, T6N, R9E.

- 20.00 a Beech 20 in. dia.  
 40.00 Set of Sec. post, from which  
     a Beech 12 in. dia. bray N 65 E 30 lks. dist. of  
     an Elm 8 " " " S 67 1/2 W 16 " "  
 80.00 Set post Cor. to Sec. 33, T6N, R9E, from which  
     a Beech 12 in. dia. bray N 82 1/2 W 28 lks. dist. of  
     an Elm 20 " " " S 85 E 40 " "
- 

West On S. boundary of Sec. 33, T6N, R9E.

- 21.00 a Beech 20 in. dia.  
 40.00 Set of Sec. post, from which  
     a Beech 18 in. dia. bray North 21 lks. dist. of  
     a Do. 15 " " " S 54 1/2 W 10 " "  
 80.00 Set post Cor. to Sec. 32, T6N, R9E, from which  
     a Beech 16 in. dia. bray N 66 W 3 lks. dist. of  
     a Do. 8 " " " S 74 E 21 " "
- 

West On S. boundary of Sec. 32, T6N, R9E.

- 40.00 Set of Sec. post, from which  
     a W. Oak 24 in. dia. bray N 47 E 22 lks. dist. of  
     a Do. 13 " " " S 67 1/2 W 13 " "  
 80.00 Set post Cor. to Sec. 31, T6N, R9E, from which  
     a Beech 16 in. dia. bray East 9 lks. dist. of

5 N 129 E. 2<sup>d</sup>. Mer. Indiana

9

ch. lks

a Beech 13 mi. diam. bray S 62° W 32 lks. dist.

West On S. boundary of Sec. 31, 56 N. 129 E.

35.00 a Brook 10 lks. wide Course with the line

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 13 mi. diam. bray S 67° W 8 lks. dist. of

a Dogw. 5 " " " S 51° E 6 "

68.64 Set post Cor. to Township 5 of 6 North Range  
8 of 9 East, from which

a Beech 8 mi. diam. bray N 67° E 6 lks. dist. of

a Do. 16 " " " S 21° E 12 " "

water Course continues N. of the line runs N 85° W

November 6<sup>th</sup>. 1806

Surveyed By  
John Brownson  
Deputy Surveyor

West Boundary

November 3<sup>d</sup>. 1806, Variation 5° 25' E

North On E. boundary of Sec. 36, 55 N. 128 E.

31.33 a Beech 12 mi. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 8 mi. diam. bray N 74½° E 21 lks. dist. of

a Do. 16 " " " S 31½° W 10 " "

58.50 a Creek 50 lks. wide Course S.W. now dry

61.04 a Sugar 11 mi. diam.

80.00 Set post Cor. to Sec. 25 of 36, 55 N. 128 E, from which

a Beech 15 mi. diam. bray S 87° E 37 lks. dist. of

a Sugar 18 " " " N 60° W 32 " "

First ½ mile over level 2<sup>d</sup>. rate land, rather wet  
in the Spring last ½ mile over rolling land, the  
greatest of the timber fallen down, and a thick  
underg<sup>r</sup>. of Spice, good farming land

North On E. boundary of Sec. 25, 55 N. 128 E

22.66 a Beech 12 mi. diam.

T5 St. R9 E. 2<sup>d</sup>. Mer. IndianaCh<sup>th</sup>

40.00 Set of Sec. post, from which  
a Beech 18 in. dia. brang N42 E 7<sup>th</sup> dist. of  
a Do. 6 " " " N43 W 9 " "

61.50 a Small dry branch Cr. W.

63.42 a Beech 5 in. dia.

80.00 Set post Cor. to Sec. 24 & 25, T5 N. R8 E, from which  
a Beech 12 in. dia. brang West 13<sup>th</sup> dist. of  
a Do. 11 " " " S63 W 27 " "

The 1<sup>st</sup> 1/2 mile over flat land, timber principally  
Beech - the last 1/2 mile rolling fallen timber  
in general very thick underg<sup>o</sup>. Spruce, birch &c  
Middleling farming land.

North On E. boundary of Sec. 24, T5 St. R8 E.

21.00 a small dry brook 10<sup>th</sup> wide Cr. W

27.71 a Poplar 48 in. dia.

40.00 Set of Sec. post from which  
a Beech 15 in. dia. brang S35 W 11<sup>th</sup> dist. of  
a Do. 24 " " " N42 E 23 " "

68.97 a Beech 18 " "

79.00 a Creek 40<sup>th</sup> wide Course W.

80.00 Set post Cor. to Sec. 13 & 24, T5 N. R8 E, from which  
a Beech 15 in. dia. brang N72 1/2 E 11<sup>th</sup> dist. of  
an Elm 18 " " " N43 W 5 " "

Over rolling 2<sup>nd</sup> rate land, timber principally  
Beech, underg<sup>o</sup>. Spruce, dogwood & greenbriers  
the last 1/2 mile good farming land

North On E. boundary of Sec. 13, T5 N. R8 E

22.30 a Poplar 20 in. dia.

40.00 Set of Sec. post, from which  
a Beech 15 in. dia. brang N43 W 22<sup>th</sup> dist. of  
a Do. 15 " " " S15 E 9 " "

43.00 a Creek 50<sup>th</sup> wide Course W.

60.14 a Beech 8 in. dia.

80.00 Set post Cor. to Sec. 12 & 13, T5 N. R8 E, from which

# 11

## T5N R9E. 2<sup>d</sup>. Mer. Indiana

ch. l. l.

a Beech 6 in. diam. bray N 20 E 28 lks. dist. of  
a Do. 6 " " " 14 1/2 W 12 "  
Over rolling 2<sup>d</sup>. rate land, timber principally  
Beech, some poplar & Gum, undergrowth  
Spice, good farming land

North On E. boundary of Sec. 12, T5N. R8E.

27.50 a dry branch 10 lks. wide Course W.

40.00 Set of Sec. post, from which  
a W. Oak 18 in. diam. bray S 39 W 10 lks. dist. of  
a Beech 6 " " " 16 1/2 E 8 " "

63.20 a Beech 24 " "

80.00 Set post Cor. to Sec. 1 & 12, T5N. R8E, from which  
a Beech 11 in. diam. bray N 23 W 18 lks. dist. of  
a Do. 24 " " " 12 1/2 E 34 "  
Over level 2<sup>d</sup>. rate land, timber Beech, Poplar,  
Gum &c. principally good farming land

North On E. boundary of Sec. 1, T5N. R8E.

27.55 a Beech 15 in. diam.

40.00 Set of Sec. post, from which  
a Poplar 30 in. diam. bray S 6 1/2 E 22 lks. dist. of  
a Beech 13 " " " N 12 W 18 " "

65.43 a Beech 18 " "

79.50 Intersected the E & W. line 72 1/2 lks. West of  
Lower Corner. (For the bearing trees at this corner  
see Brownson's notes of the N. boundary)  
(description &c. Omitted)

Surveyed in 1806, By  
James Tisson

Deputy Surveyor

### Subdivision.

I John Thirk do solemnly swear in the  
presence of Almighty God, that in all mea-  
surements and surveys, in which I shall be

Crown



5 N - R9 E. 2<sup>d</sup>. Mer. Indiana  
ch. lly

employed as a chain Carrier, that I will  
faithfully & impartially execute the trust  
reposed in me, So help me God

John Shirk

Sworn and subscribed before me this 21<sup>st</sup>.  
day of October 1806. James Sisson,  
Deputy Surveyor

I James Sisson Jun<sup>r</sup> do solemnly swear  
in the presence of Almighty God, that in  
all measurements and surveys in which I  
shall be employed as a Chain Carrier, that  
I will faithfully and impartially execute the  
trust reposed in me, So help me God.

James Sisson Jun<sup>r</sup>.

Sworn and subscribed before me this 21<sup>st</sup>.  
day of Oct. 1806. James Sisson,  
Deputy Surveyor

November 4<sup>th</sup> 1806.

North & Between Sec<sup>s</sup>. 35 & 36

27.50 a Beech 15 in. dia<sup>r</sup>.

40.00 Set of<sup>r</sup>. Sec. post, from which  
a Beech 24 in. dia<sup>r</sup>. bray N 89 E 24 lks. dist. of  
a do 8 " " " S 56 W 23 " "

60.74 a Beech 18 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 25, 26, 35 & 36, from which  
a Beech 9 in. dia<sup>r</sup>. bray N 81 E 6 lks. dist. of  
a do 18 " " " S 59 W 39 " "

Over rolling land, the first half mile - the last  
half level the principal timber is Beech, some  
Poplar, Gum, Oak, Sugar &c. undr<sup>g</sup>.<sup>t</sup>. Price  
good farming land.

East On Road<sup>m</sup>. between Sec<sup>s</sup>. 25 & 36

40.00 Set temp<sup>y</sup>. of<sup>r</sup>. Sec. post

# S. N. N 9 E. 2<sup>d</sup>. After Indiana

ch<sup>d</sup>. l<sup>th</sup>

79.22 Intersected E. boundary 164 l<sup>th</sup>. S. of post  
Over level 2<sup>d</sup>. rate land, the principal timb.  
is Beech, some Gum, Oak, Ash &c.  
Middle, farming land.

---

West Corrected between Sec<sup>s</sup>. 25 & 26

39.61 Let q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 13 in. dia<sup>r</sup>. bray N 67 E 20 l<sup>th</sup>. dist. of  
a Do. 17 " " " N 60 W 7 " "  
79.22 to Sec. Corner. Nov. 5<sup>th</sup>. 1876

---

North Between Sec<sup>s</sup>. 25 & 26

27.55 a Log 7 in. dia<sup>r</sup>.

28.00 a dry Creek 30 l<sup>th</sup>. wide Course W

40.00 Let q<sup>r</sup>. Sec. post, from which  
an Ironwood 9 in. dia<sup>r</sup>. bray S 60 E 12 l<sup>th</sup>. dist. of  
a Dogwood 7 " " " N 43 1/2 W 19 " "

42.00 a Creek 100 l<sup>th</sup>. wide Course N.W.

65.57 a Beech 30 in. dia<sup>r</sup>.

80.00 Let post Cor. to Sec<sup>s</sup>. 23, 24, 25 & 26, from which  
a Beech 18 in. dia<sup>r</sup>. bray S 0 1/2 W 45 l<sup>th</sup>. dist. of  
a Do. 14 " " " N 19 W 25 " "  
Over rolling 2<sup>d</sup>. rate land, timber same  
underg<sup>g</sup>. price, good farming land

---

East On Rand<sup>m</sup>, between Sec<sup>s</sup>. 24 & 25

33.75 a Small brook Course S.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

58.00 to the N. side of a Creek 100 l<sup>th</sup>. wide Course  
S.W. nearly dry

79.54 Intersected the N & S. line 154 l<sup>th</sup>. S. of post  
Land timber &c. same as on the last mile

---

West Corrected between Sec<sup>s</sup>. 24 & 25

39.77 Let q<sup>r</sup>. Sec. post at average dist. from which  
a B. Ash 13 in. dia<sup>r</sup>. bray S 17 W 14 l<sup>th</sup>. dist. of

S 5 N N 9 E. 2<sup>d</sup>. Mer. Indiana  
 ch<sup>1</sup> l<sup>y</sup> a Hickory 11 in. dia. bray N 83 $\frac{1}{2}$  W 32 l<sup>y</sup>. dist.  
 79.54 to Sec. Corner

---

North Between Sec<sup>s</sup>. 23 & 24

21.26 a Beech 13 in. dia.

40.00 Set q<sup>1</sup>. Sec. post, from which  
 a Beech 12 in. dia. bears S 5 W 21 l<sup>y</sup>. dist. 4  
 a Do. 18 " " " N 39 W 29 " "

66.53 a Beech 12 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 13, 14, 23 & 24, from which  
 a Beech 12 in. dia. bears S 28 E 18 l<sup>y</sup>. dist. 4  
 a Do. 10 " " " N 41 W 19 " "

Over flat land 2<sup>d</sup>. rate timber same middling farming  
 Land no undergrowth

---

East On Random between Sec<sup>s</sup>. 13 & 24

40.00 Set temp<sup>y</sup>. q<sup>1</sup>. Sec. post

79.79 Intersected the E. boundary 200 l<sup>y</sup>. S. of post

Over level Land 2<sup>d</sup>. rate timber same good farming land

---

West Corrected between Sec<sup>s</sup>. 13 & 24

39.89 Set q<sup>1</sup>. Sec. post, at average dist. from which  
 a B. Gum 16 in. dia. bears N 71 E 2 l<sup>y</sup>. dist. 4  
 a Beech 7 " " " S 52 $\frac{1}{2}$  W 24 " "

79.79 to Section Corner

---

North Between Sec<sup>s</sup>. 13 & 14

19.50 a Beech 10 in. dia.

40.00 Set q<sup>1</sup>. Sec. post, from which  
 a Beech 12 in. dia. bears S 2 E 11 l<sup>y</sup>. dist. 4  
 a Do. 10 " " " N 20 W 28 " "

40.50 a dry branch 10 l<sup>y</sup>. wide Course W.

44.00 a dry Do. 12 " " " S. W.

64.60 a Beech 12 in. dia.

80.00 Set post Cor. to Sec<sup>s</sup>. 11, 12, 13 & 14, from which  
 a Beech 15 in. dia. bears N 50 E 26 l<sup>y</sup>. dist. 4

15

*S. N. N. E. 2<sup>nd</sup> Mer. Indiana*  
*Ch. P. 11<sup>th</sup>*

a Beech 12 in. dia. bears S 48 N 22 lbs. dist.  
 Over level land 2<sup>nd</sup> rate timber Same good farming  
 Land undergrowth Spice -

---

East On Plandom between Sec. 12 & 13

40.00 Set temp. q. Sec. post.

79.80 Intersected the E. boundary 175 lbs. S. of post  
 Land timber undergrowth Same as last mile.

---

West Corrected between Sec. 12 & 13

39.90 Set q. Sec. post, at average dist. from which  
 a W. Oak — in. dia. bears S 29 N 18 lbs. dist. &  
 a Beech — " " " N 42 W 29 " "

79.80 to Section Corner

---

North Between Sec. 11 & 12.

23.00 a Creek 100 lbs. wide Course S. W.

28.55 a W. Oak 2 1/2 in. dia.

40.00 Set q. Sec. post, from which  
 a Sugar 10 in. dia. bears S 65 1/2 E 9 lbs. dist. &  
 a Do. 15 " " " N 72 1/2 W 28 " "

61.19 a Beech 12 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which  
 a Sapafas 15 in. dia. bears S 42 1/2 E 9 lbs. dist. &  
 a Beech 13 " " " N 42 1/2 W 36 " "  
 Land & timber Same as last mile

---

East On Plandom between Sec. 1 & 12 variation 7.50' E.

30.75 a Creek 20 lbs. wide course S.

40.00 Set temp. q. Sec. post

65.75 a Small dry branch course S.

77.51 a Creek 20 lbs. wide Course S. W.

81.19 Intersected the E. boundary 1.05 lbs. S. of post  
 Over rolling Land 2<sup>nd</sup> rate timber Same good for  
 farming no undergrowth

---



T5 N R9 E. 2<sup>nd</sup> Mer. Indiana

Ch. Lhs

West Corrected between Sec. 1 &amp; 12

- 40.59 Set q. Sec. post, at average dist. from which  
 a Beech 15 in. dia. bears S 20 E 6 lks. dist. &  
 a No. 12 " " " N 26 W 29 " "  
 81.19 to Section Corner

North Between Sec. 1 &amp; 2.

- 28.72 a Beech 8 in. dia.  
 40.00 Set q. Sec. post, from which  
 a W. Oak 48 in. dia. bears N 14 W 8 lks. dist. &  
 a Beech 7 " " " S 63 1/2 E 23 " "  
 64.59 a No. 8 " "  
 84.46 Intersected the N. boundary 7 1/4 lks. E. of post  
 Set post Cor. to Sec. 1 & 2, from which  
 a Beech 12 in. dia. bears S 81 W 28 lks. dist. &  
 a No. 8 " " " S 1 E 20 " "  
 Over level Land 2<sup>nd</sup> rate timber same good farming land

North Between Sec. 34 &amp; 35

- 9.00 a dry Creek 50 lks. wide Course S. W.  
 25.17 a Beech 6 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Sugar 7 in. dia. bears S 38 W 19 lks. dist. &  
 a Poplar 2 1/4 " " " N 44 1/2 E 46 " "  
 58.00 a Beech 18 " "  
 80.00 Set a post Cor. to Sec. 26, 27, 34, & 35, from which  
 a Beech 12 in. dia. bears N 42 1/2 W 23 lks. dist. &  
 a No. 24 " " " S 81 E 26 " "  
 Over rolling land 2<sup>nd</sup> rate Beech Sugar Ash &c.  
 Undergrowth Spice good farming Land

East On Prandom between Sec. 26 &amp; 35

- 34.00 a Creek 70 lks. wide Course S. W.  
 40.00 Set temp. q. Sec. post  
 79.89 Intersected the N. & S. line 28 lks. N. of post  
 Land and timber the same

# 17

## St. R. E. 2<sup>nd</sup> Mer. Indiana

ch. l. h.

West Connected between Sec. 26 & 35

39.94 Set q. Sec. post. at average dist. from which  
a Beech 12 in. dia. bears S 58° W 29 lbs. dist. &  
a Sugar 24 " " " N 23 E 23 " "

79.89 to Section Corner

North Between Sec. 26 & 27

31.44 a Beech 11 in. dia.

38.50 a Creek 50 lbs. wide Course S. W.

40.00 Set q. Sec. post. from which  
a Beech 12 in. dia. bears S 62 E 32 lbs. dist. &  
a No. 12 " " " N 32 W 34 " "

60.27 a No. 8 " "

80.00 Set post Cor. to Sec. 22, 23, 26, & 27, from which  
a Beech 18 in. dia. bears N 76 W 20 lbs. dist. &  
a No. 18 " " " S 35 E 25 " "  
Over rolling Land 2<sup>nd</sup> rate timber Same as last.  
good for farming—

East On Random between Sec. 23 & 26

31.00 a dry branch 10 lbs. wide Course N. W.

40.00 Set Temp. q. Sec. post

78.84 Intersected the N. & S. line 30 lbs. N. of post.  
Land and timber the Same as last mile—

West Corrected between Sec. 23 & 26

39.42 Set q. Sec. post. at average dist. from which  
a Beech 12 in. dia. bears S 48 W 2 lbs. dist. &  
a No. 12 " " " N 15 E 21 " "

78.84 to Section Corner

November 8<sup>th</sup> 1886

North Between Sec. 22 & 23

20.64 a Beech 20 in. dia.

40.00 Set q. Sec. post. from which  
a Beech 18 in. dia. bears N 79 E 16 lbs. dist. &

# T5 N 19 E. 2<sup>nd</sup> Mer. Indiana

Ch. lky

- a Beech 5 in. dia. bears S 4 & 9 lks. dist.  
 65.50 a Creek 100 lks. wide course N.  
 71.41 a Beech 10 in. dia.  
 81.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
 a Beech 15 in. dia. bears N 20 E 22 lks. dist. &  
 a No. 13 " " " S 48 N 34 " "  
 Land timber &c. Same as on last mile

East On Random between Sec. 14 & 23

- 15.50 a Creek 100 lks. wide Course S.  
 44.00 Set temp. q. Sec. post  
 79.17 Intersected the N. & S. line 6 lks. N. of post.  
 Over 2<sup>nd</sup> rate land rather rolling timber Beech  
 Poplar, Ash, Gum &c. good farming Land

West Connected between Sec. 14 & 23

- 39.58 Set q. Sec. post, at average dist. from which  
 a Beech 20 in. dia. bears N 31 1/2 E 6 lks. dist. &  
 a No. 8 " " " S 35 N 21 " "  
 79.17 To Section Corner

North Between Sec. 14 & 15

- 23.94 a Beech 16 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 6 in. dia. bears S 52 1/2 N 20 lks. dist. &  
 a No. 18 " " " N 67 E 10 " "  
 60.17 a Beech 18 " "  
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which  
 a Sugar 24 in. dia. bears S 86 N 15 lks. dist. &  
 a No. 20 " " " N 42 E 39 " "  
 Over rolling land 2<sup>nd</sup> rate good farming land  
 timber Beech Poplar Sugar undergrowth Spice  
 and pawpaw &c.

East On Random between Sec. 11 & 14

- 17.00 a Small branch Course South

# 19

## S. N. R. G. E. 2<sup>nd</sup> Mer. Indiana

ch. l. l. l.

- 34.00 a Creek 100 lks. wide Course South  
 40.00 Set temp. g. of Sec. post  
 79.10 Intersected the N. & S. line 50 lks. S. of post  
 over rolling land 2<sup>nd</sup> rate timber same good for  
 farming no undergrowth -
- 

- West Connected between Sec. 11 & 14  
 39.55 Set g. of Sec. post, at average dist. from which  
 a Beech 30 in. dia. bears N 68 E 29 lks. dist. &  
 a No. 7 " " " S 72 1/2 W 11 " "  
 79.10 to Section Corner
- 

- North Between Sec. 10 & 11  
 22.73 a Beech 12 in. dia.  
 40.00 Set g. of Sec. post, from which  
 a Beech 24 in. dia. bears S 5 W 32 lks. dist. &  
 a No. 15 " " " N 13 E 46 " "  
 63.42 a Beech 12 " "  
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which  
 a Beech 20 in. dia. bears S 37 E 14 lks. dist. &  
 a No. 12 " " " N 54 1/2 W 16 " "  
 Over level land 2<sup>nd</sup> rate timber Beech undergrowth  
 Spice Dogwood good farming Land
- 

- East On Random between Sec. 2 & 11  
 40.00 Set temp. g. of Sec. post  
 77.90 Intersected the N. & S. line 50 lks. S. of post  
 Over level flat land wet in the Spring timber Beech  
 Gum Maple &c. not very good for farming -
- 

- West Connected between Sec. 2 & 11  
 38.95 Set g. of Sec. post, at average dist. from which  
 a Beech 14 in. dia. bears S 2 W 27 lks. dist. &  
 a No. 18 " " " N 74 W 24 " "  
 77.90 to Section Corner
-



# St. Regis Co. 2<sup>nd</sup> Mer. Indiana

ch. P. 1/4

North Between Secs. 2 & 3.

7.50 a Creek 10 lbs. wide Course N. W

26.10 a Poplar 36 in. dia.

40.00 Set q. Sec. post, from which

a Beech 14 in. dia. bears N 8 1/2 E 18 lbs. dist. &

a No. 6 " " " S 33 1/2 W 28 " "

62.80 a Beech 5 " "

75.50 a Creek 30 lbs. wide Course W.

84.60 Intersected the N. boundary 123 lbs. E. of post

Set post Cor. to Secs. 2 & 3, from which

a Beech 9 in. dia. bears N 32 W 6 lbs. dist. &

a No. 10 " " " S 35 E 23 " "

Over level land 2<sup>nd</sup> rate timber Beech Poplar

Sugar Gum & not much undergrowth Some Spice

dogwood middling farming land -

November 9<sup>th</sup> 1806

North Between Secs. 33 & 34

31.54 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which

a Beech 16 in. dia. bears S 40 W 43 lbs. dist. &

a No. 24 " " " N 1 W 22 " "

57.00 a Creek 40 lbs. wide Course W.

61.60 a Beech 15 in. dia.

80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which

a Sugar 10 in. dia. bears N 66 E 13 lbs. dist. &

a No. 5 " " " N 70 W 23 " "

Over rolling land 2<sup>nd</sup> rate the principal timber

Beech and Sugar the last half mile excellent

farming Land

East On Randon between Secs. 27 & 34

40.00 Set temp. q. Sec. post

52.00 a Creek 50 lbs. wide Course S. W. rapid

79.50 Intersected the N. & S. line at the post

Over rolling land 2<sup>nd</sup> rate timber Beech, Poplar,

St. Rge. T. Mer. Indiana 21  
ch. P. 1/4

Sugar middling farming Land undergrowth  
Spice briars & Dogwood

---

West Corrected between Sect. 27 & 34

39.75 Set q. Sec. post, at average dist. from which  
a Maple 12 in. dia. bears S 45 W 19 lbs. dist. &  
a Do. 10 " " " N 31 1/2 E 10 " "

79.50 to Section Corner

---

North Between Sect. 27 & 28

13.50 a Creek 70 lbs. wide Course S. W.

25.50 up the Creek -

30.00 a Small Stream Course West

40.00 Set q. Sec. post, from which  
a Beech 9 in. dia. bears N 44 W 9 lbs. dist. &  
a Sugar 9 " " " S 65 E 26 " "

61.00 a Small Stream of water Course W.

66.75 a Beech 15 in. dia.

80.00 Set post Cor. to Sect. 21, 22, 27 & 28, from which  
a Beech 15 in. dia. bears N 80 E 16 lbs. dist. &  
a Do. 6 " " " S 62 W 14 " "  
over rolling Land a good 2<sup>d</sup>. rate the principal  
timber is Sugar, Beech, Poplar &c. thick Spice  
undergrowth good farming land.

---

East On Random between Sect. 22 & 27

40.00 Set temp. q. Sec. post

79.50 Intersected the N. & S. line 70 lbs. S. of post  
over 2<sup>d</sup>. rate land the first half mile rather  
rolling the last level thin soil the principal  
timber is Beech some Ash Poplar Maple  
& very thick undergrowth not very good farming L.

---

West Corrected between Sect. 22 & 27

39.75 Set q. Sec. post, at average dist. from which  
a Beech 10 in. dia. bears S 59 E 17 lbs. dist. &

22

St R 9 E. 2<sup>d</sup>. Mer. Indiana  
ch. 1<sup>st</sup>

a Beech 10 in. dia. bears N 7 W 24 lks. dist. &  
79.50 to Section Corner

---

North Between Sec. 21 & 22.

28.50 a Creek 100 lks. wide Course S. W.

40.00 Set q. Sec. post, from which  
a Beech 10 in. dia. bears S 31 W 24 lks. dist. &  
a Sugar 12 " " " N 9 1/2 E 12 " "

58.44 a No 13 " "

60.12 a Beech 18 " "

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which  
an Elm 12 in. dia. bears S 20 E 12 lks. dist. &  
a Beech 24 " " " N 15 1/2 W 28 " "  
Over 2<sup>d</sup>. rate Land the first half mile rolling  
last level the timber same good farming Land

---

November 10<sup>th</sup> 1806

East On Random between Sec. 15 & 22

40.00 Set temp. q. Sec. post

79.50 Intersected the N. & S. line 100 lks. S. of post.  
over rolling Land 2<sup>d</sup>. rate timber same  
middling farming Land

---

West Connected between Sec. 15 & 22.

39.75 Set q. Sec. post, at average dist. from which  
a Beech 18 in. dia. bears S 21 1/2 W 12 lks. dist. &  
a No. 10 " " " N 6 3/4 E — " "

79.50 to Section Corner

---

North Between Sec. 15 & 16

19.43 a Beech 15 in. dia.

40.00 a Creek 15 lks. wide Course S. W. now dry

40.00 Set q. Sec. post, from which  
a W. Walnut 12 in. dia. bears N 48 1/2 W 10 lks. dist. &  
a Beech 20 " " " S 9 E 38 " "

60.00 a No. 15 " "

5th Reg E. 2<sup>nd</sup> Mer. Indiana

Ch. 147

75.00 a Small Stream of water Course W.  
 80.00 Set post Cor. to Sect. 9, 10, 15 & 16, from which  
 a Beech 12 in. dia. bears N 68 $\frac{1}{2}$  W 15 lbs. dist. &  
 a No. 10 " " " S 26 $\frac{1}{2}$  E 13 " "  
 Over rolling Land 2<sup>nd</sup> rate timber same good  
 farming Land

---

East On Prandon between Sect. 10 & 15

40.00 Set temp. q. Sec. post.  
 78.71 Intersected the N. & S. line at the post  
 over level land 2<sup>nd</sup> rate the principal timber is  
 Beech Poplar Gum Hickory &c. not very good  
 farming Land -

---

West Connected between Sect. 10 & 15.

39.35 Set q. Sec. post, at average dist. from which  
 a Beech 18 in. dia. bears N 71 $\frac{1}{2}$  E 27 lbs. dist. &  
 a No. 11 " " " S 22 $\frac{1}{2}$  W 18 " "  
 78.71 to Section Corner

---

North Between Sect. 9 & 10

20.00 to a bend in a Creek 50 lbs. wide Course S. W.  
 26.62 a Poplar 148 in. dia.  
 40.00 a Blk. Beech 3 in. " for q. Sec. Cor. from which  
 an Elm 10 in. dia. bears N 85 $\frac{1}{2}$  W 15 lbs. dist. &  
 a Sugar 12 " " " N 5 $\frac{1}{2}$  E 36 " "  
 42.00 a Creek 50 lbs. wide Course S. W.  
 60.95 a Beech 6 in. dia.  
 68.00 a Small Stream of water Course E.  
 80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which  
 a Sugar 12 in. dia. bears S 61 $\frac{1}{2}$  W 17 lbs. dist. &  
 a Beech 12 " " " N 75 $\frac{1}{2}$  E 22 " "  
 Over rolling Land 2<sup>nd</sup> rate timber Beech  
 Sugar principally good farming Land

---

East On Prandon between Sect. 3 & 10.



24 S. N. R. 9 E. 2<sup>d</sup>. Mer. Indiana

ch. l. l. h.

- 10.00 a Creek 50 lks. wide course S. W.  
40.00 Set temp. g. Sec. post.  
50.00 a dry Creek 15 lks. wide Course S. W.  
78.54 Intersected N. & S. line 44 lks. S. of post  
Over level Land 2<sup>nd</sup> rate the principal timber  
Beech, Poplar, Sugar, &c. good farming Land
- 

- West Connected between Sect. 3 & 10  
39.27 Set g. Sec. post, at average dist. from which  
a Beech 10 in. dia. bears S 25 E 3 lks. dist. &  
a No. 12 " " " N 25 W 1/4 " "  
78.54 to Section
- 

- North Between Sect. 32 & 33.  
30.79 a Beech 24 in. dia.  
40.00 Set g. Sec. post, from which  
a Beech 10 in. dia. bears S 58 E 9 lks. dist. &  
a No. 9 " " " N 38 E 13 " "  
60.42 a Beech 12 " "  
80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which  
a Beech 15 in. dia. bears S 55 W 1/4 lks. dist. &  
a Poplar 24 " " " N 49 E 22 " "  
Land 2<sup>nd</sup> rate rolling timber Beech, Some  
Gum, Oak, Ash, Poplar, Sugar &c. undergrowth  
Spice Beech and some green briars muddling  
farming Land
- 

- East On Prandome between Sect. 28 & 33  
40.00 Set temp. g. Sec. post.  
50.00 a Creek 100 lks. wide Course S. W. rapid current  
79.41 Intersected the N. & S. line 5 lks. N. of post  
Land rolling timber as on the last mile
- 

- West Connected between Sect. 28 & 33.  
39.78 Set g. Sec. post, at average dist. from which  
a Sugar 15 in. dia. bears S 73 E 18 lks. dist.

5 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana 25  
ch. l. l. h.

a Beech 15 in. dia. bears N 58 W 9 lks. dist. &  
79.41 to Section Corner

---

North Between Sect. 28 & 29.

32.29 a Beech 24 in. dia.

40.00 Set q. Sec. post, from which

a Maple 18 in. dia. bears N 27 W 14 lks. dist. &

a No. 15 " " " S 46 E 6 " "

61.48 a Beech 12 " "

80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which

an Elm 13 in. dia. bears N 60 E 15 lks. dist. &

a Beech 24 " " " S 61 W 40 " "

over flat level land 2<sup>nd</sup> rate timber Beech, Oak,  
Maple Gum &c. not very good farming Land

---

East On Pradom between Sect. 21 & 28.

40.00 Set temp. q. Sec. post.

70.00 a Creek 100 lks. wide Course S. W.

79.35 Intersected the N. & S. line 43 lks. N. of post  
first half mile the Land & timber the same  
the last half rolling good farming Land

---

West Corrected between Sect. 21 & 28

39.67 Set q. Sec. post. at average dist. from which

a Beech 12 in. dia. bears N 59 W 8 lks. dist. &

a No. 18 " " " S 37 W 24 " "

79.36 to Section Corner

---

North Between Sect. 20 & 21

21.82 a Beech 14 in. dia.

40.00 Set q. Sec. post, from which

a Gum 20 in. dia. bears South 9 lks. dist. &

a Beech 24 " " " N 7 W 26 " "

61.47 a No. 8 " "

80.00 Set post Cor. to Sect. 16, 17, 20 & 21, from which

a Gum 10 in. dia. bears S 34 W 20 lks. dist. &

26 S. N. 1896. 2<sup>nd</sup> Mer. Indiana

ch. 1<sup>st</sup>

a Gum 12 in. dia. bears N 87 W 3 lbs. dist. &  
Land and timber same not good farming Land

---

East On Random between Sec. 16 & 21.

40.00 Set temp. q. Sec. post.

63.00 a creek 50 lbs. wide Course South

78.79 Intersected the N. & S. line 37 lbs. N. of post  
over rolling 2<sup>nd</sup> rate Land timber Beech Poplar  
Gum &c. middling farming land.

---

West Corrected between Sec. 16 & 21

39.39 Set q. Sec. post, at average dist. from which  
a Beech 10 in. dia. bears N 48 E 13 lbs. dist. &  
a No. 24 " " " South 18 " "

78.79 to Section Corner

---

November 12<sup>th</sup> 1816. var. 5.40' E.

North Between Sec. 16 & 17

19.26 a W. Oak 12 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 20 in. dia. bears N 36 W 13 lbs. dist. &  
a No. 12 " " " S 85 W 37 " "

59.52 a Beech 18 " "

81.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Poplar 36 in. dia. bears S 23 E 58 lbs. dist. &  
a Beech 15 " " " N 22 1/2 E 3 " "  
over flat Land 2<sup>nd</sup> rate timber same not very good  
farming Land

---

East On Random between Sec. 9 & 16

40.00 Set temp. q. Sec. post

73.00 a Creek 50 lbs. wide Course South

79.89 Intersected the N. & S. line 43 lbs. N. of post  
The first half mile Land and timber the same the  
last half rolling good soil timber Beech Poplar  
Ash Sugar &c. undergrowth Spice

ch. 2. lks  
S. N. R. G. E. 2<sup>d</sup>. Mer. Indiana 27  
Good farming Land

---

West Corrected between Sec. 9 & 16.

39. 94 Set q<sup>r</sup>. Sec. post at average dist. from which  
a S. Gum 16 mi. dist. by way S 39 1/2 E 10 lks. dist. of  
a Maple 18 " " " N 63 1/2 W 5 " "  
79. 89 to Sec. Corner.

---

North Between Sec. 8 & 9 var. 5° 30' E.

24.05 at Beech 10 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which  
at Beech 20 mi. dist. by way S 82 W 14 lks. dist. of  
a Do. 18 " " " N 43 E 23 " "

61.05 a Beech 12 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
a S. Gum 13 mi. dist. by way S 66 E 31 lks. dist. of  
a Beech 20 " " " S 77 W 10 " "

Over rolling 2<sup>d</sup> rate land, timber Beech,  
Poplar, Oak, Gum, Ash &c. Some Spruce  
underg<sup>d</sup>. good farming land

---

East On Rand<sup>m</sup>. between Sec. 4 & 9

40.00 Set temp<sup>t</sup>. q<sup>r</sup>. Sec. post

80.13 Intersected the N & S. line 26 lks. N. of post  
Over level land, timber Beech, Oak, Gum, Ash  
Poplar &c. Some Spruce undg<sup>d</sup>. good farming land

---

West Corrected between Sec. 4 & 9

40.06 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 5 mi. dist. by way N 77 E 6 lks. dist. of  
a S. Gum 18 " " " S 2 E 13 " "

80.12 to Sec. Corner.

---

North Between Sec. 3 & 4

30.58 a Beech 12 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which



T5 N - N9 E. 2<sup>nd</sup> Mer. Indiana

- ch<sup>o</sup>. 1<sup>st</sup> a Beech 15 in. dia. - bray N 70 E 10 lns. dist. of  
an Elm 18 " " " N 42 W 20 " "
- 67.00 a Beech 4 " "
- 83.50 Intersected the N. boundary 277 lns. E. of post  
let post Cor. to Sec. 3 & 4, from which  
a Beech 24 in. dia. - bray S 24 W 5 lns. dist. of  
a do. 20 " " " North 25 " "
- Over rolling 2<sup>nd</sup> rate land, the principal  
timber is Beech, Poplar, Gum &c.  
good farming land.

## North Between Sec. 4 &amp; 5

- 25.00 a dry branch 10 lns. wide Course W.
- 26.62 a Dogwood 5 in. dia.
- 40.00 let of Sec. post, from which  
a Beech 12 in. dia. - bray N 70 W 10 lns. dist. of  
a do. 12 " " " N 19 W 19 " "
- 66.60 a Beech 6 " "
- 81.40 Intersected N. boundary 328 lns. East of post  
let post Cor. to Sec. 4 & 5, from which  
a Beech 18 in. dia. - bray N 54 E 17 lns. dist. of  
a do. 13 " " " S 21 E 15 " "
- Over level land 2<sup>nd</sup> rate, timber same  
middling farming land.

November 13<sup>th</sup> 1876

## North Between Sec. 31 &amp; 32

- 22.70 a Beech 11 in. dia.
- 40.00 let of Sec. post, from which  
a W. Oak 18 in. dia. - bray S 47 E 25 lns. dist. of  
a do. 24 " " " N 4 E 3 " "
- 69.50 a Beech 11 " "
- 77.00 a dry Brook 10 lns. wide Course W.
- 80.00 let post Cor. to Sec. 29, 30, 31 & 32, from which  
a Beech 11 in. dia. - bray S 40 E 7 lns. dist. of  
a do. 7 " " " N 28 W 26 " "

5th Rge. 2<sup>d</sup>. Mer. Indiana <sup>29</sup>  
ch. lth

Over rolling 2<sup>d</sup>. rate land, timber Oak, Beech,  
Poplar, Gum, Ash &c. some Spruce underg.  
Middling farming land

---

East On Ranges Between Sec. 29 & 32

1.50 a Dry Brook 10 lth. wide Comes W.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.87 Intersected the N & S. line 24 lth. N. of post  
Sand timber &c. Same as on the last mile

---

West Corrected between Sec. 29 & 32

39.93<sup>1</sup>/<sub>2</sub> q<sup>r</sup>. Sec. post at average dist. from which  
at Beech 6 mi. dist. bray S 82 E 20 lth. dist. of  
a do. 6 " " " S 30 W 16 " .

79.87 to Sec. Corner.

---

West Between Sec. 30 & 31

26.00 a Creek 30 lth. wide Cr. W. thence down the  
Creek 7.00 lth. which bray off N.W.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 18 mi. dist. bray S 70 W 46 lth. dist. of  
an Elm 12 " " " N 42 E 63 " .

\* this post stands in a Creek 40 lth. wide Cr. S.W.

65.89 a Beech 12 mi. dist.

78.50 Intersected W. boundary 109 lth. S. of post  
Set post Cor. to Sec. 30 & 31, from which  
at Beech 15 mi. dist. bray S 18 E 5 lth. dist. of  
a do. 8 " " " N 79 W 30 " .

Over rolling land 2<sup>d</sup>. rate, timber same,  
good farming land.

---

North Between Sec. 29 & 30

20.92 a Beech 12 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which  
at Beech 15 mi. dist. bray S 39 W 16 lth. dist. of  
a do. 9 " " " N 5 E 30 " .

T5 N- R9 E. 2<sup>d</sup>. Mer. Indianach<sup>d</sup>. l<sup>y</sup>

62.59 a Beech 30 in. dia.

78.00 a Creek 40 l<sup>y</sup>. wide Course S. W.80.00 Let post Cor. to Sec<sup>s</sup>. 19, 20, 29, 30, from which  
a Beech 13 in. dia. bray N 85 E 12 l<sup>y</sup>. dist. of  
a do. 18 " " " N 46 E 46 " "Over uneven 2<sup>d</sup>. rate land, the principal timb.  
is Beech, Sugar, (middling farming land)East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 20 & 291.50 a Creek 30 l<sup>y</sup>. wide Course S. W.40.00 Let timpt. q<sup>r</sup>. Sec. post79.80 Intersected the N & S. line 19 l<sup>y</sup>. N. of post  
Low level land, timber Beech, Gum, Oak  
Poplar &c. (not very good farming land)West Corrected between Sec<sup>s</sup>. 20 & 2939.90 Let q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 12 in. dia. bray N 45 E 6 l<sup>y</sup>. dist. of  
a Sugar 12 " " " N 7 W 13 " "79.80 to Sec. Corner Nov. 15<sup>th</sup> 1806West Between Sec<sup>s</sup>. 19 & 30

21.03 a S. Gum 10 in. dia.

40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 12 in. dia. bray S 84 E 20 l<sup>y</sup>. dist. of  
a do. 12 " " " N 11 W 25 " "55.00 a Brook 8 l<sup>y</sup>. wide Course S. W.

64.32 a Beech 15 in. dia.

78.03 Intersected W. boundary 80 l<sup>y</sup>. S. of post  
Let post Cor. to Sec<sup>s</sup>. 19 & 30, from which  
a Beech 6 in. dia. bray S 23 E 15 l<sup>y</sup>. dist. of  
a do. 14 " " " N 47 W 14 " "The 1<sup>st</sup> 1/2 mile level land, last 1/2 broken, the  
principal timber is Beech, Some Poplar, Oak  
Gum &c. and g<sup>r</sup>. Spruce, (middling farming land)

# 31

## To N. R. G. 2<sup>d</sup>. Mer. Indiana

ch. P. 1/4

North Between Sec. 19 & 20

24.18 at Beech 8 mi. dist.

40.00 at q. Sec. post, from which  
a Beech 13 mi. dist. by way S 11 W 14 mi. dist. of  
a do. 15 " " " N 87 1/2 E 21 " "

59.79 a Beech 10 " "

80.00 at post Cor. to Sec. 17, 18, 19 & 20, from which  
a Beech 10 mi. dist. by way N 35 E 24 mi. dist. of  
a do. 12 " " " N 43 W 5 " "

Over rolling 2<sup>d</sup> rate land, timber principally  
Beech, W. Oak, Gum &c. (not much underg.)  
good farming land

East On Rand. between Sec. 17 & 20

39.50 at Brook 10 mi. wide Course S.

40.00 at temp. q. Sec. post

79.94 intersected N of S. line 57 mi. N. of post  
Over level 2<sup>d</sup> rate land, timber same  
good farming land

West Corrected between Sec. 17 & 20

39.97 at q. Sec. post at average dist. from which  
a Beech 17 mi. dist. by way N 8 E 9 mi. dist. of  
a do. 20 " " " N 12 W 49 " "

79.94 to Sec. Corner

West Between Sec. 18 & 19

35.21 at Beech 10 mi. dist.

40.00 at q. Sec. post, from which  
a Beech 4 mi. dist. by way S 9 W 11 mi. dist. of  
a do. 6 " " " N 72 1/2 E 6 " "

41.00 a Creek 40 mi. wide wide Course S. W.

77.33 intersected the N. Boundary 78 mi. S. of post  
at post Cor. to Sec. 18 & 19, from which  
a Beech 24 mi. dist. by way S 22 E 15 mi. dist. of  
a Sugar 11 " " " N 85 1/2 E 39 " "



St. N 9 E. 2<sup>nd</sup> Mer. Indiana  
ch. 14

Over rolling land 2<sup>nd</sup> rate, timber Beech  
Sugar, Poplar, Gum &c. underg<sup>th</sup>. Spice  
good farming land

North Between Sec. 17 & 18

11.00 a Brook 10<sup>th</sup> m. wide Course S. W.

19.79 a Hickory 15 m. dist.

35.00 a Brook 10<sup>th</sup> m. wide Course S. W.

40.00 Set of Sec. post, from which  
a Beech 5 m. dist. by N 27 E 15<sup>th</sup> m. dist. of  
a Co. 15 " " " 160<sup>th</sup> 30 " "

60.86 a Beech 10 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
a Beech 15 m. dist. by N 44 E 13<sup>th</sup> m. dist. of  
a Co. 12 " " " 152<sup>th</sup> 43 " "  
Land timber &c. same as on the last mile

East On Rand<sup>m</sup>. between Sec. 8 & 17

40.00 Set temp. of Sec. post

73.00 a dry brook 10<sup>th</sup> m. wide Course N. W.

79.46 Intersected the N & S. line 37<sup>th</sup> m. N. of post  
Over handsome land rather rolling, the prin-  
-cipal timber is Beech & Sugar, underg<sup>th</sup>.  
Spice, good farming land

West Cor. betw. Sec. 8 & 17

39.73 Set of Sec. post at average dist. from which  
a Beech 18 m. dist. by N 44 E 15<sup>th</sup> m. dist. of  
a Co. 6 " " " 144 E 2 " "

79.46 to Sec. Corner Nov. 16<sup>th</sup> 1806

West Between Sec. 7 & 18

10.00 a Creek 30<sup>th</sup> m. wide Course S. W.

20.28 a Blue Ash 18 m. dist.

40.00 Set of Sec. post, from which  
a Beech 5 m. dist. by N 77 W 2<sup>th</sup> m. dist. of

S 5 N 12 E 2<sup>nd</sup> Mer. Indiana 33

ch. l. l. k.

a Beech 13 mi. dist. from S 17 E 59 l. k. dist. of  
59.35 a W. Oak 20 " " "  
76.18 Intersected the N. boundary exactly at  
the post. Over level 2<sup>nd</sup> rate land, the  
principal timber is Beech, Poplar, W. Oak  
 Hickory &c. and good farming land

---

North Between Sec. 7 & 8

12.30 a Creek 30 l. k. wide Course S. W.

19.55 a W. Oak 18 mi. dist.

41.00 At q<sup>r</sup>. Sec. post, from which  
a Beech 11 mi. dist. from S 46 E 26 l. k. dist. of  
a do. 10 " " " S 50 W 13 " "

60.68 a W. Oak 20 " "

80.00 At post Cor. to Sec. 5, 6, 7 & 8, from which  
a Beech 8 mi. dist. from S 67 E 2 l. k. dist. of  
a do. 7 " " " N 61 W 19 " "

Flat level land, the principal timber is  
Beech & W. Oak, some Gum, ash, Poplar  
&c. good farming land.

---

East On Land 9<sup>th</sup> Between Sec. 5 & 8

22.50 a Creek 20 l. k. wide Course S. W.

40.00 At temp. q<sup>r</sup>. Sec. post

78.44 Intersected the N. of S. line 22 l. k. N. of post  
Good timber &c. same as on the last mil

---

West Connected between Sec. 5 & 8

39.22 At q<sup>r</sup>. Sec. post at average dist. from which  
a W. Oak 10 mi. dist. from N 5 E 12 l. k. dist. of  
a Beech 10 " " " S - E - " "

78.44 to Sec. Corner.

---

West Connected between Sec. 6 & 7

21.78 a Beech 20 mi. dist.

40.00 At q<sup>r</sup>. Sec. post, from which

T<sup>5</sup>N R<sup>9</sup>E. 2<sup>d</sup> Mer. IndianaCh<sup>o</sup>. 1<sup>st</sup>

a Beech 12 mi. dist. from N 47 1/2 W 33 km. dist. of  
 a Do. 5 " " " " S 61 1/2 E 17 " "  
 62.28 a Sugar 10 " "  
 75.61 intersected the N. boundary 32 km. N. of post  
 let post Cor. to Sec. 5 & 6, from which  
 a Beech 18 mi. dist. from N 43 E 34 km. dist. of  
 a Sugar 15 " " " " N 11 W 36 " "  
 Land timber &c. Same as on last mile

North Between Sec. 5 &amp; 6

26.03 a Beech 7 mi. dist.

40.00 let of. Sec. post, from which  
 a W. Oak 20 mi. dist. from S 39 W 13 km. dist. of  
 a Beech 10 " " " " N 47 E 20 " "

63.62 a Beech 11 " "

79.11 intersected the N. boundary 548 km. E. of post  
 let post Cor. to Sec. 5 & 6, from which  
 a Beech 10 mi. dist. from N 48 W 51 km. dist. of  
 a Do. 12 " " " " S 86 E 22 " "

Land timber &c. Same as on the last mile  
 This Township was surveyed with the  
 variation of 5.30' East.

Surveyed in 1806 by

James Lipson,

Deputy Surveyor

I certify that the foregoing transcript of field notes  
 of Township N. 5. N. Range N. 9 East 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 has been compared with the original notes in this  
 Office, and found to be correct.

Surveyor General's Office

Cincinnati, Oct. 19, 1842

William Johnston  
 Sur. Genl.